


Amantii TRD powered by Dimplex Optimyst

TRD SIGNATURE SERIES

Built-in Electric Cassette

Product Dimensions:






TECHNICAL SPECIFICATIONS		
VOLTS	120V 60Hz	
AMPS	12.5	
WATTS	1465 W	
HEATER	HIGH	1465 watts
	LOW	750 watts
NO HEATER	32.6 watts	
LAMPS	TYPE	LED
	WATTS	
	TOTAL WATTS	32 watts
ROTOR MOTOR	1 at 2.9 watts	
HEIGHT,WIDTH,DEPTH	38.3" x 38.0" x 20.5"	
GLASS VIEWING OPENING	22.0" X 35.3"	
GLASS SIZE	22" X 35.3"	
SHIPPING SIZE	42 3/10" x 42 1/8" x 25 1/2"	
SHIPPING WEIGHT	101.4 lbs	
	UNIT	81.6 lbs
	GLASS FRONT	Included
PLUG LOCATION	Left Side	
CORD LENGTH	76"	
APPROX. HEATING AREA	400 sq ft	

		
SERIES	MODEL	REV
SIGNATURE	TRD-38 SIG	1
SCALE 1"=1'-0"	DATE: 10/30/2023	SHEET 1 OF 1





Amantii TRD powered by Dimplex Optimyst

Built-in Electric Cassette

Product Dimensions:



MEDIA TRAY




Amantii TRD powered by Dimplex Optimyst

TRD SIGNATURE SERIES

Built-in Electric Cassette

Product Dimensions:






TECHNICAL SPECIFICATIONS		
VOLTS	120V 60Hz	
AMPS	12.5	
WATTS	1465 W	
HEATER	HIGH	1465 watts
	LOW	750 watts
NO HEATER	32.6 watts	
LAMPS	TYPE	LED
	WATTS	
	TOTAL WATTS	32 watts
ROTOR MOTOR	1 at 2.9 watts	
HEIGHT,WIDTH,DEPTH	97.2cm x 96.5 x 52.07 cm	
GLASS VIEWING OPENING	55.88 X 88.9 cm	
GLASS SIZE	55.88 X 88.9 cm	
SHIPPING SIZE	107.4 x 106.9 x 64.77 cm	
SHIPPING WEIGHT	46 Kgs	
	UNIT	37 Kgs
	GLASS FRONT	Included
PLUG LOCATION	Left Side	
CORD LENGTH	193 cm	
APPROX. HEATING AREA	37 sqm	

			
SIGNATURE	MODEL		REV
	TRD-38 SIG		1
SCALE 1:12	DATE: 10/30/2023	SHEET 1 OF 1	

Amantii TRD powered by Dimplex Optimyst

Built-in Electric Cassette

Product Dimensions:



MEDIA TRAY

