

DRC3500 SERIES

 **PRO SERIES DIRECT VENT GAS FIREPLACES**

Superior[™]
FIREPLACES
Our name is our promise.

 **Obadiah's**
WWW.WOODSTOVES.NET

CONTEMPORARY

The new DRC3500 Series is transitional style and value at its finest. Suited with contemporary standard features like a ceramic glass face, porcelain liners, full function remote and crushed glass media, the DRC3500 Series also features outstanding heating capabilities. Sleek. Elegant. Powerful. The new DRC3500 is the epitome of modern value.

Obadiah's • 406-300-1776



FEATURED DRC3540 shown with Black Reflective Porcelain Liners and Black Crushed Glass Media

EXCLUSIVE FEATURES

- 🔥 Available in 35", 40" and 45" clean-faced models
- 🔥 Combo top/rear flue configuration for all models
- 🔥 Electronic ignition with seamless battery backup to provide continued operation in the event of a power outage
- 🔥 Outstanding heating efficiency for increased comfort and lower operating costs
- 🔥 Smooth-faced design features ceramic glass for optimum heat transfer
- 🔥 2015 ANSI barrier compliant
- 🔥 Standard reflective black crushed glass media
- 🔥 Factory installed blower with six speed settings to fine tune your heating needs
- 🔥 Full four-piece black reflective porcelain liners
- 🔥 Durable textured powder coat finish
- 🔥 Mood enhancing interior illumination, with six distinctive settings
- 🔥 Full function remote control (thermostat, flame, blower, lighting, IPI/CPI)
- 🔥 20 year limited warranty



FEATURED DRC3540 with Black Reflective Porcelain liners and Black Crushed Glass Media

GLASS MEDIA OPTIONS

(Optional)

Choose from four crushed glass media options to complement your décor (Reflective Black standard).



Reflective Black
(standard)



Reflective Blue



Copper



Goldfinger



Platinum

INTERIOR

(Standard)

Black Reflective Porcelain is the perfect backdrop for a sleek modern focal point.




Black Reflective Porcelain Liner



Included Pro Flame II Remote

APPLIANCE SPECIFICATIONS



	DRC3535	DRC3540	DRC3545
A	32-1/8"	37-1/8"	37-1/8"
B	28-3/4"	33-1/4"	33-1/4"
C	22-1/4"	27-1/4"	27-1/4"
D	32-3/8"	37-3/8"	42-3/8"
E	35-1/4"	40-1/4"	45-1/4"
F	25"	30"	35"
G	12-1/2"	15"	17-1/2"
H	32-7/8"	37-7/8"	42-7/8"
I	17"	17"	17"
J	6-7/8"	6-7/8"	6-7/8"

On the Cover: DRC3540 shown with Black Reflective Porcelain liner and Copper Crushed Glass Media


IMPORTANT NOTES:

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.

FLAT WALL FRAMING SPECIFICATIONS



	DRC3535	DRC3540	DRC3545
K	35-3/8"	40-3/8"	45-3/8"
L	36-1/4" *	41-1/4" *	41-1/4" *
M	38-3/4"	43-3/4"	43-3/4"
N	18"	18"	18"
O	23-3/8"	28-1/4"	28-1/4"

* Includes 4" for fold-up standoffs

FIREPLACE EFFICIENCIES

MODEL	FUEL	BTU/HR	AFUE**	P4 / ENERGYGUIDE*
DRC3535	NG	20,000	70%	64.0%
DRC3535	LP	19,000	70%	64.0%
DRC3540	NG	24,000	70%	64.0%
DRC3540	LP	22,000	70%	64.0%
DRC3545	NG	28,000	71%	65.0%
DRC3545	LP	26,000	71%	65.0%

*Intermittent ignition systems.

**Annual Fuel Utilization Efficiency (AFUE) is the recognized U.S. rating system for the total efficiency of heating products.



Approved for use with European Copper and Chimney Classics chimney tops, which improve performance and add an elegant touch.