



A highly efficient and clean way to
heat with wood that has all the warm
ambiance of a traditional fireplace.

LENNOX
HEARTH PRODUCTS


COUNTRY
COLLECTION



Montlake™ 230 insert shown with Brushed Nickel door trim and cast top.

■ Stylish and sensible, the Montlake™ 230 fireplace insert from the Country® Collection converts any fireplace to an efficient, clean-burning wood heater. Its elegant design features an expansive ceramic glass panel that offers unobstructed views of the fire and enhances the existing fireplace. Each EPA-certified insert comes equipped with Lennox' innovative Thermal Fin Technology (TFT™), a cast iron heat exchanger system that maximizes heat output to quickly deliver warmth to your living space. And with features like the Montlake's precise one-touch control and smoke-reducing air booster, reliability, efficiency, and technology come together to ensure lasting comfort for your family. ■



STANDARD FEATURES

EPA-certified and Washington State-approved

Innovative Thermal Fin Technology (TFT™) creates 32% more surface area than standard design, resulting in more heat entering the room

Precision-cut, heavy-gauge steel provides dependable, long-lasting operation

Expansive ceramic glass door panel offers unobstructed view of flames

Advanced refractory baffle system holds more heat inside the firebox, promoting a clean, efficient burn that releases less heat into the flue

One-touch control ensures precise heat and comfort control

High-density refractory brick adds thermal mass for better heat output and long-lasting durability

150-CFM variable-speed blower works with the heat exchanger to quickly circulate heat throughout the room

Air booster reduces smoke and helps maintain a clean, efficient burn while improving combustion efficiency

High-velocity airwash system keeps the glass clean and clear for less maintenance

Firebox with front-to-back loading allows precise log placement without the use of tools for refueling

Top warming surface with choice of classic cast-iron or solid, heavy-gauge steel options allows for easy customization

Limited Lifetime Warranty

OPTIONAL ACCESSORIES

Decorative door trim in standard Black, Brushed Nickel or Nickel finish complements a sleek, ergonomic door handle

ZC front support kit fills any gaps between the insert and the fireplace, ensuring a seamless appearance



Large viewing area



One-touch damper control




Variable-speed blower control



COUNTRY® COLLECTION

Manufactured in Auburn, WA and backed by a long tradition of quality and excellence over the past 30 years, Country® Collection stoves offer innovative wood- and pellet-burning technologies and classic designs.

THE MONTLAKE™ 230 ADVANTAGES



A. More Heat – Thermal Fin Technology (TFT™) provides 32% more surface area than standard insert designs.

B. Increased Efficiency – ceramic baffle holds heat in the firebox longer, resulting in more efficiency.

C. Clean-Burning – air booster maintains a clean, efficient burn while improving combustion efficiency.

D. Increased Comfort – high-density refractory brick helps hold heat and slowly releases it between wood loads.

E. Less Maintenance – airwash system forces high-velocity air across the glass, keeping it clean.

F. Quality Construction – heavy-gauge steel assembled and welded by our experienced craftsmen equals industry-leading quality and years of dependable performance.



BURN SMART™

Advancements in hearth technology at Lennox Hearth Products have produced a variety of options that allow you to burn cleaner and more efficiently than ever before. At Lennox®, we call these Burn Smart™ products. The Montlake™ 230 wood-burning insert is now a part of this Burn Smart family of products, so you can be confident you are doing your part to burn smarter and more responsibly at home for the good of your environment.

CUSTOMIZE TO YOUR TASTE

STEP 1: DOOR TRIM (optional)

Select from a variety of options to complement your home's decor. Door trim is available in Black, Nickel and Brushed Nickel finishes.



Black



Nickel



Brushed Nickel

STEP 2: TOP WARMING SURFACE

Choose between two stylish warming surfaces: classic cast iron or solid, heavy-gauge steel.



Cast iron top



Steel top




Montlake™ 230 shown with Brushed Nickel door trim and cast top.

SPECIFICATIONS

Log Length	18"
Approximate Weight	390 lbs
EPA Grams Per Hour	3.6 gr/hr
Heat Transfer Efficiency	84%
Combustion Efficiency	94%
Heating Capacity	1200-2200 sq. ft.*
Maximum Output	76,000 BTU/hr
Maximum Burn Time	7-12 hours

*Square-foot heating capacities and burn times are approximations only. Actual performance may vary depending upon home design and insulation, ceiling heights, climate, condition and type of wood used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.



SURROUND SIZING




	US	CANADA
A = Insert Top to Combustible Mantel	15"	15"
B = Insert Top to Top Facing	13"	13"
C = Insert Side to Side Wall	4"	4"
D = Insert Side to Side Facing	1"	1"
E = Hearth in Front of Insert*	8"	8"
F = Hearth Extension*	16"	18"
M = Minimum Mantel Height from Bottom of Insert	36-3/4"	36-3/4"

FIREPLACE SIZING

	MASONRY FIREPLACE	ZC FIREPLACE
G = Minimum Depth	15-1/2"	15-1/2"
H = Minimum Height	21-1/2"	21-1/2"
K = Minimum Width	25"	36"
L = Minimum Width	22-1/2"	22-1/2"
J = Maximum Lintel Depth (w/out use of adjustable offset box)	5-3/8"	5-3/8"

SURROUND

26-1/2"H x 41"W
 26-1/2"H x 48"W
 31"H x 41"W
 31"H x 48"W
 33"H x 48"W Trimmable



*(USA) 16" minimum hearth extension on all stoves and inserts as measured from the door opening of the unit. (Canada) 18"(450 mm) minimum hearth extension on all stoves and inserts as measured from the door opening of the unit. Minimum distance of floor protection to the side = 8" (200 mm). This is measured from the sides of the door opening in the USA and from the sides of the insert in Canada.

On the cover: **Montlake™ 230** shown with Brushed Nickel door trim and cast top.

PRODUCTS AND DEALERS YOU CAN COUNT ON

Lennox is committed to providing you with the finest hearth products available. Choosing the right dealer for your hearth needs is as important as choosing the right brand, and our dealers are a big reason why you can count on quality customer service when you call.



HEARTH PRODUCTS

© Lennox Hearth Products LLC 2012

Visit us at www.lennoxheartproducts.com
 or contact us at 1-800-655-2008

IMPORTANT NOTES:

As with any heating appliance, fireplace or stove, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Actual performance may vary depending upon home design and insulation, ceiling heights, climate, condition and type of wood used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.



Intertek 100% recycled